Pain, 67 (1996) 445–447
© 1996 International Association for the Study of Pain. 0304-3959 / 96 / $15.00

Contents to Volume 68 (1996)

Number 1 – November 1996

EDITORIAL

Selective activation of A-delta and C nociceptive afferents by different parameters of nociceptive heat stimulation: a tool for analysis of central mechanisms of pain
D.D. Price (USA) 1

REVIEW ARTICLES

The enigma of potassium ion in the management of dentine hypersensitivity: is nitric oxide the elusive second messenger?
K. McCormack and R. Davies (UK) 5
Mechanisms of touch-evoked pain (allodynia): a new model
F. Cervero and J.M.A. Laird (Spain) 13

RESEARCH REPORTS

Prevalence and source of pain in pediatric inpatients
E.A. Cummings, G.J. Reid, G.A. Finley, P.J. McGrath and J.A. Ritchie (Canada) 25
Noxious and innocuous cold discrimination in humans: evidence for separate afferent channels
C.-C. Chen, P. Rainville and M.C. Bushnell (Canada) 33
Coping strategies predict disability in patients with primary fibromyalgia
M.Y. Martin, L.A. Bradley, R.W. Alexander, G.S. Alarcón, M. Triana-Alexander, L.A. Aaron and K.R. Alberts (USA) 45
'Booboos': the study of everyday pain among young children
I. Fearon, P.J. McGrath and H. Achat (Canada) 55
Good patients cope with their pain: postoperative analgesia and nurses' perceptions of their patients' pain
P. Salmon and A. Manyande (UK) 63
The initial effects of a cervical spine manipulative physiotherapy treatment on the pain and dysfunction of lateral epicondylalgia
B. Vicenzino, D. Collins and A. Wright (Australia) 69
Transcutaneous nerve stimulation (TENS) during the first stage of labour: a randomized clinical trial
J.M. van der Ploeg, H.A.M. Vervest, A.L. Liem and J.H. Schagen van Leeuwen (The Netherlands) 75
Referred pain distribution of the cervical zygapophyseal joints and cervical dorsal rami
S. Fukui, K. Ohseto, M. Shiotani, K. Ohno, H. Karasawa, Y. Naganuma and Y. Yuda (Japan) 79
Involvement of increased excitatory amino acids and intracellular Ca^{2+} concentration in the spinal dorsal horn in an animal model of neuropathic pain
M. Kawamata and K. Omote (Japan) 85
Mechanical and thermal allodynia in chronic central pain following spinal cord injury
M.D. Christensen, A.W. Everhart, J.T. Pickelman and C.E. Hulsebosch (USA) 97
High dose alfentanil pre-empts pain after abdominal hysterectomy
J. Katz, M. Clairoux, C. Redahan, B.P. Kavanagh, S. Carroll, H. Nierenberg, M. Jackson, J. Beattie, A. Taddio and A.N. Sandler (Canada) 109
Effects of the combined oral administration of NSAIDs and dextromethorphan on behavioral symptoms indicative of arthritic pain in rats
D.D. Price, J. Mao, J. Lu, F.S. Caruso, H. Frenk and D.J. Mayer (USA, Israel) 119
Does electroconvulsive therapy (ECT) have any role in the management of intractable thalamic pain?
S. McCance, K. Hawton, D. Brighouse and C. Glynn (UK) 129
Nociceptive responses to high and low rates of noxious cutaneous heating are mediated by different nociceptors in the rat: behavioral evidence
D.C. Yeomans, V. Pirec and H.K. Proudfit (USA) 133
Nociceptive responses to high and low rates of noxious cutaneous heating are mediated by different nociceptors in the rat: electrophysiological evidence
D.C. Yeomans and H.K. Proudfit (USA) 141
Venlafaxine hydrochloride (Effexor™) relieves thermal hyperalgesia in rats with an experimental mononeuropathy
E. Lang, A.H. Hord and D. Denson (USA) 151
Assessing the stages of pain processing: a multivariate analytical approach
J.B. Wade, L.M. Dougherty, C.R. Archer and D.D. Price (USA) 157
Involvement of NMDA receptor mechanisms in jaw electromyographic activity and plasma extravasation induced by inflammatory irritant application to temporomandibular joint region of rats
X.-M. Yu, B.J. Sessle, D.A. Haas, A. Izzo, H. Vernon and J.W. Hu (Canada) 169

CLINICAL NOTE

Lamotrigine control of central pain
S. Canavero and V. Bonicalzi (Italy) 179

LETTER TO THE EDITOR

The lateralization of back pain is sex-related?
S.V. Verenich (Belarus) 183

Numbers 2 and 3 – December 1996

REVIEW ARTICLES

Pain following spinal cord injury: the clinical problem and experimental studies
R.P. Yezierski (USA) 185
Vanilloid receptors: new insights enhance potential as a therapeutic target
A. Szallasi and P.M. Blumberg (Sweden, USA) 195

RESEARCH REPORTS

Concentrations of morphine and morphine metabolites in CSF and plasma during continuous subcutaneous morphine administration in cancer pain patients
T. Wolff, H. Samuelsson and T. Hedner (Sweden) 209
A systematic review of antidepressants in neuropathic pain
H.J. McQuay, M. Tramèr, B.A. Nye, D. Carroll, P.J. Wiffen and R.A. Moore (UK) 217
Competitive and non-competitive NMDA antagonists block the development of antinociceptive tolerance to morphine, but not to selective μ or δ opioid agonists in mice
E.J. Bilsky, C.E. Inturrisi, W. Sadée, V.J. Hruby and F. Porreca (USA) 229
Nimodipine fails to enhance the analgesic effect of slow release morphine in the early phases of cancer pain treatment
G. Roca, J.L. Aguilar, C. Gomar, V. Mazo, J. Costa and F. Vidal (Spain) 239
Rapid recovery from capsaicin desensitization during recurrent stimulation
B.G. Green (USA) 245
The contribution of metabotropic glutamate receptors (mGluRs) to formalin-induced nociception
K. Fisher and T.J. Coderre (Canada) 255
Clinical analgesic equivalence for morphine and hydromorphone with prolonged PCA
P.J. Dunbar, C.R. Chapman, F.P. Buckley and J.R. Gavrin (USA) 265
Adenosine and neuropathic pain
R. Guieu, J.C. Peragut, P. Roussel, H. Hassani, F. Sampieri, G. Bechis, R. Gola and H. Rochat (France) 271
Single intrathecal injections of dynorphin A or *des*-Tyr-dynorphins produce long-lasting allodynia in rats: blockade by MK-801 but not naloxone
T.W. Vanderah, T. Laughlin, J.M. Lashbrook, M.L. Nichols, G.L. Wilcox, M.H. Ossipov, T.P. Malan, Jr. and F. Porreca (USA) 275
Neuronal model of tactile allodynia produced by spinal strychnine: effects of excitatory amino acid receptor antagonists and a μ-opiate receptor agonist
L.S. Sorkin and S. Puig (USA) 283
Tactile allodynia and formalin hyperalgesia in streptozotocin-diabetic rats: effects of insulin, aldose reductase inhibition and lidocaine
N.A. Calcutt, M.C. Jorge, T.L. Yaksh and S.R. Chaplan (USA) 293
C-fos can be induced in the neonatal rat spinal cord by both noxious and innocuous peripheral stimulation
E. Jennings and M. Fitzgerald (UK) 301
Development and preliminary validation of a postoperative pain measure for parents
C.T. Chambers, G.J. Reid, P.J. McGrath and G.A. Finley (Canada) 307
Pain in ambulatory AIDS patients. I: Pain characteristics and medical correlates
W. Breitbart, M.V. McDonald, B. Rosenfeld, S.D. Passik, D. Hewitt, H. Thaler and R.K. Portenoy (USA) 315
Pain in ambulatory AIDS patients. II: Impact of pain on psychological functioning and quality of life
B. Rosenfeld, W. Breitbart, M.V. McDonald, S.D. Passik, H. Thaler and R.K. Portenoy (USA) 323
Non-organic symptom reporting in patients with chronic non-malignant pain
D.S. Ciccone, N. Just and E.B. Bandilla (USA) 329
Effect of present pain and mood on the memory of past postoperative pain in women treated surgically for breast cancer
T. Tasmuth, A.-M. Estlanderb and E. Kalso (Finland) 343
Treatment helpfulness questionnaire: a measure of patient satisfaction with treatment modalities provided in chronic pain management programs
S.L. Chapman, R.N. Jamison and S.H. Sanders (USA) 349
Sequential daily relations of sleep, pain intensity, and attention to pain among women with fibromyalgia
G. Affleck, S. Urrows, H. Tennen, P. Higgins and M. Abeles (USA) 363
Resting systolic blood pressure, parental history of hypertension, and sensitivity to noxious stimuli
K.M. Stewart and C.R. France (USA) 369
Sensory dysfunction in fibromyalgia patients with implications for pathogenic mechanisms
E. Kosek, J. Ekholm and P. Hansson (Sweden) 375

Treatment of pain in pediatric oncology: a Swedish nationwide survey
G. Ljungman, A. Kreuger, T. Gordh, T. Berg, S. Sörensen and N. Rawal (Sweden) 385
The role of pain from veins for the formation of perivenous edema in humans
H. Holthusen and J.O. Arndt (Germany) 395
Secondary hyperalgesia to mechanical but not heat stimuli following a capsaicin injection in hairy skin
Z. Ali, R.A. Meyer and J.N. Campbell (USA) 401
Dementia and response to pain in the elderly
F.L. Porter, K.M. Malhotra, C.M. Wolf, J.C. Morris, J.P. Miller and M.C. Smith (USA, Germany) 413
Effects of type of symptom onset on psychological distress and disability in fibromyalgia syndrome patients
D.C. Turk, A. Okifuji, T.W. Starz and J.D. Sinclair (USA) 423

CLINICAL NOTE

Use of EMLA® cream in a Department of Neonatology
E. Gourrier, P. Karoubi, A.E. Hanache, S. Merbouche, G. Mouchnino and J. Leraillez (France) 431

LETTER TO THE EDITOR

Ketamine: relief from chronic pain through actions at the NMDA receptor?
S.T. Meller (USA) 435

Erratum 437

Corrigendum 439

Author Index to Volume 68 441

Contents to Volume 68 445